

XIEREN® PVC STRIP CURTAIN & SOFT SHEET

XIEREN® BROCHURE 2022 MAY



Henan Xieren SafetScreens Co.,Ltd.

www.xierenpvc.com | support@xierengroup.com | +86 186 3732 8132

001 Xieren Avenue, Kangcun Town, Xinxiang, Henan, China, 453822e, Kangcun Town, Xinxiang, Henan, China, 453822





XIEREN® has always been committed to ensuring the Interests and Reputation of our partners to the greatest extent, and to jointly seeking longer-term development.

XIEREN® Group is located in Xieren Avenue, 001, Kangcun Town Industrial Zone, Huojia County, Xinxiang City, Henan Province, China. Founded in 1987, a company integrating R&D, Production, Inventory, Sales, and Service. With an annual production capacity of 50000 tons and more than 30 advanced automatic production lines, our products are exported to more than 40 countries on five continents.

We are the *Exclusive Drafter of the National Industrial Standards*, the only *Well-known Trademark in China*, and a synonym for the highest quality in Soft PVC Curtain & Sheet industry.

XIEREN® has always been committed to ensuring the interests and reputation of our partners to the greatest extent, and to jointly seeking longer-term development. So we are proud that the average cooperation time between us and our partners has reached 10 years.

We welcome more partners to join us!





XIEREN® ADVANTAGE

- XIEREN® is a *Well-known Trademark* in China and sound reputation
- Compiler of *Plastic Curtain & Crystal Sheet Industry National Criterion*
- **30** years of manufacturing Soft PVC Curtain & Sheet
- More than **100 National Patents** and **60 International Certifications**
- Over **30** production lines to ensure quality and delivery
- Export to **40** countries on **5** continents since **2005**
- Average Partnership with global client exceeds 10 years

MAIN APPLICATION

- Door Curtain
- Pet Door Flap
- Protection Screen
- Room Divider
- Hanging Sneeze Guard
- Tablecloth
- Floor Cover
- Machine Protection Sheet
- Stationery Material

Wechat



Whatsapp



PVC Strip Roll

- Durable
- Non-laminated
- Never Crack
- No Oil Leakage
- No Impurities
- Anti-shrinking
- Anti-yellowing



Introduction

Product Highlights

COMPREHENSIVE CUSTOMIZED SERVICE

100% Customization (eg. Color, Finish, Logo, Width&Length)

Meet Your Specification (eg. No Impurities, No Bubbles, No Wave)

Safety Standards (eg. Non-phthalate, No Heavy Metals, Non Toxic)

General Properties

Color	Premium Transparency (Super Clear Grade) and available in different translucent & Color options.
Thickness	0.5mm -10mm
Width	10mm - 500mm
Weight per Roll	15KG +
Hardness	60-88 PHR
Working Temp.	-35°c ~ 60°c
Surface	Glossy, Ribbed, Perforated, Frosted Matte, Light Frosted, Embossing
Function	Anti-cold (Freezer), Anti-bacterial, Anti-static(ESD), Anti-insect, Anti-sticky, Anti-flame, Welding Protection, Anti-UV, and more.

Qualification

Non-phthalate DOTP
 Certificate with REACH, RoHS, FDA, PAHS, CE, EN ISO, etc.

Application



Suitable for Domestic & Industrial & Business


- Scientific Studio
- Aerospace Use
- Welding Workshop
- Cold Storage & Open Frige
- Medical Institutions & Hospital
- Food Processing & Pharmaceutical

Learn More




For more info about XIEREN® Soft PVC Strip Curtain, please contact our sales manager support@xierengroup.com

Functional Option



Standard Clear



Freezer Polar



Polar Double Ribbed



Anti-uv Blue



Perforated Clear



Anti-bacterial Pink



Anti-static ESD Green



Indonesia's Yellow




Anti-insect Yellow



Welding Anti-Flam



Non-transparent



Luminous

Door Curtain Kit

- Installed Accessories
- Customized Door Size
- Matching options
- For Retail & E-commercial
- Never Crack
- No Oil Leakage
- Anti-shrinking & Yellowing



Introduction

Product Highlights

Complete Door Curtain Kit with Installed Accessories

100% Customization (eg. Color, Finish, Logo, Width&Length)

Meet Your Specification (eg. No Impurities, No Bubbles, No Wave)

Safety Standards (eg. Non-phthalate, No Heavy Metals, Non Toxic)

General Properties

Color	Premium Transparency (Tinted Blue) and available in different translucent and Color options.
Size	Customized as requirement
Weight per Roll	15KG +
Hardness	60-88 PHR
Working Temp.	-35°c ~ 60°c
Accessory	Rail (Hanger), Clips and other parts.
Surface	Glossy, Ribbed, Perforated, Frosted Matte, Light Frosted, Embossing
Function	Anti-cold (Freezer), Anti-bacterial, Anti-static(ESD), Anti-insect, Anti-sticky, Anti-flame, Welding Protection, Anti-UV , and more.

Qualification

Non-phthalate DOTP
 Certificate with REACH, RoHS, FDA, PAHS, CE, EN ISO, etc.

Application



Suitable for Retail & E-commercial

- Door Blind (eg. Isolation Curtain, Separation Screen)
- Stationery Material
- Office Partitions & Room Dividers
- Heavy Duty Workshop
- Door way
- Safety Screen
- Open Fridge (Cold Room)

Learn More



For more info about XIEREN® Soft PVC Strip Curtain, please contact our sales manager support@xierengroup.com

PVC Soft Sheet

- Super Transparent
- Non-laminated
- Never Crack
- No Oil Leakage
- No Wave
- Anti-shrinking & Yellowing
- Non-toxic



Introduction

Product Highlights

ULTRA TRANSPARENT & SOFT

100% Customization (eg. Color, Finish, Logo, Width&Length)

Meet Your Specification (eg. No Impurities, No Bubbles, No Wave)

Safety Standards (eg. Non-phthalate, No Heavy Metals, Non Toxic)

General Properties

Color	Premium Transparency (Super Clear Grade), Honey Gold, and available in different translucent options.
Thickness	0.5mm -10mm
Width	500mm - 2800mm
Weight per Roll	30KG +
Hardness	60-88 PHR
Working Temp.	-35°C ~ 60°C
Surface	Glossy, Smooth, as required.
Function	Anti-cold (Freezer), Anti-bacterial, Anti-static(ESD), Anti-insect, Anti-sticky, Anti-flame, Welding Protection, Anti-UV, and more

Qualification

Non-phthalate DOTP
 Certificate with REACH, RoHS, FDA, PAHS, CE, EN ISO, etc.

Application



- Protection Covers (eg. Floor cover, Table Cover)
- Door Blind (eg. Isolation Curtain, Separation Screen)
- Pet House Door Flap
- Stationery Material
- Office Partitions
- Hard Working desk
- Room Dividers


Learn More



For more info about XIEREN® Soft PVC Sheet, please contact our sales manager support@xierengroup.com

PVC Frosted & Embossed Sheet

- Anti-sticky & Non Slip
- No Water Mark
- Non-laminated
- Never Crack
- No Oil Leakage
- Anti-aging
- Anti-yellowing



Introduction

Product Highlights

CUSTOMIZE SURFACE & PATTERNS

100% Customization (eg. Color, Finish, Logo, Width&Length)

Meet Your Specification (eg. No Impurities, No Bubbles, No Wave)

Safety Standards (eg. Non-phthalate, No Heavy Metals, Non Toxic)

General Properties

Color	Premium Transparency (Super Clear Grade, Tinted Blue), Honey Gold, and available in different translucent options.
Thickness	1mm - 10mm
Width	500mm - 2800mm
Weight per Roll	30KG +
Hardness	60-88 PHR
Working Temp.	-35°C ~ 60°C
Surface	Frosted Matte, Light Frosted, Embossing, as required.
Function	Anti-cold (Freezer), Anti-bacterial, Anti-static(ESD), Anti-insect, Anti-sticky, Anti-flame, Welding Protection, Anti-UV, and more

Qualification

Non-phthalate DOTP;
 Certificate with REACH, RoHS, FDA, PAHS, CE, EN ISO, EAC, etc.

For more info about XIEREN® Soft PVC Sheet, please contact our sales manager support@xierengroup.com

PVC Welding Sheet

- Welding Protection Use
- Heavy Duty
- Non-laminated & Duable
- Never Crack
- No Oil Leakage
- Anti-aging
- Anti-yellowing
- Anti-UV



Introduction

Product Highlights

WELDING PROTECTION · FILTERS IR+UV BEAMS

100% Customization (eg. Color, Finish, Logo, Width&Length)

Meet Your Specification (eg. No Impurities, No Bubbles, No Wave)

Safety Standars (eg. Non-phthalate, No Heavy Metals, Non Toxic)

General Properties

Color	Welding Green, Brownz, Red, Yellow and available in different color and translucent options.
Thickness	0.8mm -10mm
Width	500mm - 2800mm
Weight per Roll	30KG +
Hardness	60-88 PHR
Working Temp.	-35°c ~ 60°c
Surface	Glossy, Frosted Matte, Light Frosted, Embossing
Function	Anti-cold (Freezer), Anti-bacterial, Anti-static(ESD), Anti-insect, Anti-sticky, Anti-flame, Welding Protection, Anti- UV, and more

Qualification

Non-phthalate DOTP;
 Certificate with REACH, RoHS, FDA, PAHS, CE, EN ISO, etc.

Application



- **Welding Work Shop** (eg. Welding Screen,
- Protection Covers (eg. Floor cover, Table Cover)
- Door Blind (eg. Isolation Curtain, Separation Screen)
- Stationery Material
- Hard Working desk

Learn More



For more info about XIEREN® Soft PVC Sheet, please contact our sales manager support@xierengroup.com

Henan Xieren Safety Screens Co.,Ltd.

+86 186 3732 8132 | www.xierenpvc.com | support@xierengroup.com
 001 Xieren Avenue, Kangcun Town, Xinxiang, Henan, China, 453822.

